



Small arm Zig Zag





The JK-20U machine is suitable for sewing: women's underwear, jackets, gloves, elastic reinforcements and other products that require zigzag stitching.







1 Add Stitch Button

In addition to activating the LED light, we have added an electronic button near the needle bar to add stitches with precision even in the most difficult jobs.



2 Direct Drive Motor

Built-in 550W direct drive motor for efficient energy saving. Integrated panel for maximum speed and needle positioning.




3 Zig-Zag Width

The width of the zig-zag can reach 9mm and can be controlled by a convenient lever, or by the knee-lift.



4 Self Lubrication

Automatic oil supply for better lubrication.



5 Needle Position

The needle can be moved to 3 positions (central, right and left) thanks to a handy slider: this allows you to sew even in the presence of hinges.

Specs

Model	Use	Zig Zag width	Motor	Max Speed	Dimensions	Needle System
20U-53	Basic model	9mm	550W	2.000 rpm	65x25x35 cm	134R
20U-93	Self Lubrication	9mm	550W	2.000 rpm	65x25x35 cm	134R

College Sewing Machine Parts Ltd

Unit A Waterfold Business Park Bury Lancashire BL9 7BR

WWW.COLLEGE-SEWING.CO.UK WWW.JACKSEWINGMACHINES.CO.UK